

COMPANY:

CUSTOMER CONTACT:

TEL. :

N° ORDER :

N° LIFT :

JOB SITE REF:

INQUIRY DONE THE:

INSTALLATION INFORMATIONS

CE Lift

Manufacturer:

Model:

Year manufacturing:

Qty floors:

Push buttons voltage:
(if relay controller)

V

Simplex

Public or Office Building
(next departure arrows at all levels)

Without car door

Multiplex

Controller

Manufacturer:

Type :

Control

Automatic
push button

Non-directional collective

Collective Down

Down Full Collective

Full Collective

CAR OPERATING PANELS (COP)

15 LEAD TIME
DAYS

BUTTONS

	FINISHES							
	Black		Stainless steel		Gold		Black/Gold	
	Blue light	White light	Blue light	White light	Blue light	White light	Blue light	White light
Venus XL category 0		-		-		-		-
(-2 à 11 + Alarm + Opening + Closing)	Jst Screw	-	Jst Screw	-	Jst Screw	-	Jst Screw	-
Achille category 1								
(-2 à 11 + Alarm + Opening + Closing)	Jst Screw	Jst Screw	Jst Screw	Jst Screw	Jst Screw	Jst Screw	Jst Screw	Jst Screw
Ercle category 2		-		-	-	-	-	-
	Jst Screw	-	Jst Screw	-	-	-	-	-

OPTIONS

Door closing



Key contact
(specify location in the visual opposite)

Spring



2p/1t



2p/2t



Pre-hole :



Ø drilling

mm

i-button



Button

Other




LEVELS

1 column

2 columns

1- Indicate levels
2- Surrounded the main level



DISPLAY

REGULATORY DATA *

Rated load kg nb persons

Installation number

Year constr. No. CE

Troubleshooting tel

Logo

OPTIONS

Stadip glass

Other background
(color, font, specific text,...)

* regulatory data and character sizes are defined by EN 81-20 standard

DISPLAY AND CUSTOMIZATION INCLUDED

Without load plate
TFT 7" (154 x 86 mm)

With load plate*

TFT 4,3" (79 x 147 mm)

LCD Tricolor
(121 x 58 mm)

Black background



Horizontal

Vertical

Blue background



Horizontal

Vertical

Horizontal

Vertical

Horizontal

Horizontal

CAR OPERATING PANELS (COP)

15 LEAD TIME
DAYS

PANEL

FINISHINGS & DESIRED DIMENSIONS

	TOPAZ L	TOPAZ C	TOPAZ HR	TOPAZ P	FLUSH/ SURFACE MOUNTED TOPAZ Column
	 Brushed	 Brushed Linen Engraved Brushed gold Housing Polished gold Black	 Brushed Linen Engraved Brushed stainless steel thickness 3 mm Housing	 Brushed Engraved Brushed gold Polished gold	 Brushed Linen Engraved Select the shape — th. 22 mm ┌ th. 40 mm └ 25 ≤ th. ≤ 40 mm
DIMENSIONS	200 x 1000 mm	W= mm LCD H : 200 ≤ W ≤ 250 TFT 4,3" H : 180 ≤ W ≤ 250 TFT 4,3" V : 150 ≤ W ≤ 250 TFT 7" H : 220 ≤ W ≤ 250 TFT 7" V : 200 ≤ W ≤ 250 H= mm 1000 ≤ H ≤ 2200	W= mm LCD H : 200 ≤ W ≤ 250 TFT 4,3" H : 180 ≤ W ≤ 250 TFT 4,3" V : 150 ≤ W ≤ 250 TFT 7" H : 220 ≤ W ≤ 250 TFT 7" V : 200 ≤ W ≤ 250 H= mm 1000 ≤ H ≤ 2200	L= 200 mm TFT 7" H : not available H= mm H ≤ 1000	W= mm LCD H : 220 ≤ W ≤ 300 TFT 4,3" H : 200 ≤ W ≤ 300 TFT 4,3" V : 170 ≤ W ≤ 300 TFT 7" H : 240 ≤ W ≤ 300 TFT 7" V : 220 ≤ W ≤ 300 H= mm 1000 ≤ H ≤ 2200
QUANTITY					

EMERGENCY PHONY PREDISPOSITION

Loudspeaker and microphone cutout + mounting studs

Without

AMPHITECH

ADV
ADV + IAT2
ADV + IAT3

SAFELINE

SL6

HPM

HPM + IAT2

HPM + IAT3

MX3

ANEP

S-BOX

MIDIS

BOX BA-MINI GHP

BOX NINA BIM VJ
& BA-MINI GHP

KONÉ

AVIRE

FÄLTCOM

2N

GETRALINE

KRM

Memcom

ECII Flex COP

LIFTIP

Getraline

Other :

In the event of an «other» predisposition,
provide the plans for the texts and the
loudspeaker and micro layout

LANDING OPERATING PANELS (LOP)

15 LEAD TIME
DAYS


BUTTONS + PANEL

	FINISHINGS							
	Black		Stainless steel		Gold		Black/Gold	
	Blue light	White light	Blue light	White light	Blue light	White light	Blue light	White light
Venus XL Category 0	 Screw Bus	-	 Screw Bus	-	 Screw Bus	-	 Screw Bus	-
Achille Category 1	 Screw Bus	 Screw Bus	 Screw Bus	 Screw Bus	 Screw Bus	 Screw Bus	 Screw Bus	 Screw Bus
Ercle Category 2	 Screw	-	 Screw	-	-	-	-	-

OPTIONS	
Key contact	
Spring	
2p/1t	
2p/2t	
Pre-hole	
Ø drilling	mm
i-button	
LCD display	
Light*	
Available	
Busy	
Out of order	
* Available in Cat. 0 et Cat. 1	
Button	
Neutral	
Customized text	0 button

FINISHINGS & DIMENSIONS						
	 Brushed	 Linen	 Engraved	 Brushed gold	 Polished gold	DIMENSIONS
TOPAZ C/L  Housing	Quantity Screw Stud	Quantity Screw Stud	Quantity Screw Stud	Quantity Screw Stud	Quantity Screw Stud	65 x 150 mm other W= mm 50 ≤ W ≤ 130 mm H= mm 100 ≤ H ≤ 1000
TOPAZ C/L  Housing	Quantity Screw Stud	Quantity Screw Stud	Quantity Screw Stud	Quantity Screw Stud	Quantity Screw Stud	65 x 200 mm other W= mm 50 ≤ W ≤ 130 mm H= mm 150 ≤ H ≤ 1000
TOPAZ P  Housing	Quantity Screw Stud	-	Quantity Screw Stud	Quantity Screw Stud	Quantity Screw Stud	100 x 150 mm other W= 100 mm H= mm 130 ≤ H ≤ 1000
TOPAZ P  Housing	Quantity Screw Stud	-	Quantity Screw Stud	Quantity Screw Stud	Quantity Screw Stud	100 x 200 mm other W= 100 mm H= mm 180 ≤ H ≤ 1000

1- Draw the elements
2- Put dimensions if needed



Serigraphy

LANDING DISPLAYS

15 LEAD TIME
DAYS

DISPLAYS + PANELS

DISPLAYS					
	TFT 4,3" (79 x 147 mm)		LCD Tricolor (121 x 58 mm)	LCD (58 x 58 mm)	
Black back-ground					
	Horizontal 	Vertical 	Horizontal 	Horizontal 	Vertical 
Blue back-ground			-		
	Horizontal 	Vertical 		Horizontal	Vertical

OPTION
Stadip glass  Angled support For flat faceplate 250 x 130 mm  Other background (color, fonts, specific text,...)

FINISHINGS & DIMENSIONS

	 Brushed  th. 3 mm	 Linen 	 Engraved 	 Brushed gold	 Polished gold	DIMENSIONS
TOPAZ C/L  Housing	Quantity	Quantity	Quantity	Quantity	Quantity	250 x 130 mm other W= mm TFT : 180 ≤ W ≤ 530 LCD : 200 ≤ W ≤ 530 H= mm 90 ≤ H ≤ 300
TOPAZ P 	Quantity	Quantity	Quantity	Quantity	Quantity	250 x 100 mm other W= mm TFT : 250 ≤ W ≤ 530 LCD : 230 ≤ W ≤ 530 H= 100 mm

COMMENTARY